



SAFETY DATA SHEET

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 27-Oct-2016

Version 3

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code 80208
Product Name 767 ANTI-SEIZE LUBRICANT 1LB

Contains CALCIUM OXIDE, DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lubricant
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Importer

ITW Permatex
10 Columbus Blvd.
Hartford, CT 06106 USA
Telephone: 1-87-Permatex
(877) 376-2839

E-mail address

mail@permatex.com

1.4. Emergency telephone number

24 Hour Emergency Phone Number - 800-255-3924 (00+ 1+ 813-248-0585) ChemTel

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 4 - (H302)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

Classification according to Directive 67/548/EEC or 1999/45/EC

Full text of R-phrases: see section 16

2.2. Label elements

Contains CALCIUM OXIDE, DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC



Signal word
Warning

Statements of hazard

H302 - Harmful if swallowed

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

Other Information

• The classification as a carcinogen 1 need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC No	CAS No	Weight-%	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	265-155-0	64742-52-5	40-60	Carc.Cat.2; R45	Carc. 1B (H350)	No data available
CALCIUM OXIDE	215-138-9	1305-78-8	15-25	-	No data available	No data available
ALUMINIUM POWDER	231-072-3	7429-90-5	<10	F; R11-15 F; R15-17	Flam. Sol. 1 (H228) Water-react. 2 (H261)	No data available
PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT	265-176-5	64742-71-8	<10	Carc.Cat.2; R45	Carc. 1B (H350)	No data available

Full text of R-phrases: see section 16

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice

Get medical advice/attention if you feel unwell.

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.

Skin contact

IF ON SKIN: Wash with soap and water. If symptoms persist, call a physician. Wash contaminated clothing before reuse.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Self-protection of the first aider

Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed**Symptoms**

See section 2 for more information

4.3. Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media**Suitable extinguishing media**

Carbon dioxide (CO₂). Foam. Dry chemical.

Unsuitable extinguishing media

Water

5.2. Special hazards arising from the substance or mixture

None in particular.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures**Personal precautions**

Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Wash thoroughly after handling.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up**Methods for containment**

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling**Advice on safe handling**

Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash thoroughly after handling.

General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place.

Incompatible materials

Strong oxidizing agents, Acids, Alkalis, Amines

7.3. Specific end use(s)**Specific use(s)**

Lubricant.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

Chemical Name	European Union	United Kingdom	France	Spain	Germany
CALCIUM OXIDE 1305-78-8	-	TWA: 2 mg/m ³ STEL: 6 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 1 mg/m ³
ALUMINIUM POWDER 7429-90-5	-	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
CALCIUM OXIDE 1305-78-8	-	TWA: 2 mg/m ³	-	TWA: 2 mg/m ³	TWA: 2 mg/m ³
ALUMINIUM POWDER 7429-90-5	-	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-	TWA: 1.5 mg/m ³	TWA: 5 mg/m ³ TWA: 2 mg/m ³
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
CALCIUM OXIDE 1305-78-8	TWA: 2 mg/m ³ STEL 4 mg/m ³	TWA: 2 mg/m ³ STEL: 2 mg/m ³	STEL: 6 mg/m ³ STEL: 4 mg/m ³ TWA: 2 mg/m ³ TWA: 1 mg/m ³	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ STEL: 6 mg/m ³
ALUMINIUM POWDER 7429-90-5	TWA: 10 mg/m ³ STEL 20 mg/m ³	TWA: 3 mg/m ³	TWA: 2.5 mg/m ³ TWA: 1.2 mg/m ³	TWA: 5 mg/m ³ STEL: 5 mg/m ³	TWA: 1 mg/m ³ STEL: 3 mg/m ³
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
ALUMINIUM POWDER 7429-90-5	-	60	-	-	-

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls**Engineering Controls**

Use exhaust ventilation to keep airborne concentrations below exposure limits.

Personal protective equipment**Eye/face protection**

Tight sealing safety goggles.

Skin and body protection

Wear chemical resistant clothing such as gloves, apron, boots or whole bodysuits made

Respiratory protection from neoprene, as appropriate.
In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Paste
Appearance	Silver
Odor	Petroleum
Odor threshold	No information available

Property	Values	Remarks • Method
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	> 93 °C / > 200 °F	Tag Closed Cup
Evaporation rate	< 1	Butyl acetate = 1
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	<5 mm Hg	
Vapor density	>1	Air = 1
Relative density	1.17	
Water solubility	Negligible	
Solubility(ies)	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

9.2. Other information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	0
Density	No information available
Bulk density	No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not applicable

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Excessive heat.

10.5. Incompatible materials

Strong oxidizing agents
Acids
Alkalis
Amines

10.6. Hazardous decomposition products

Carbon oxides

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation	May cause irritation of respiratory tract.
Eye contact	Irritating to eyes. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis. Prolonged contact may cause redness and irritation.
Ingestion	Harmful if swallowed.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1978.00 mg/kg

Unknown acute toxicity

99.10265 % of the mixture consists of ingredient(s) of unknown toxicity.
73.4381 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
99.10265 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
99.10265 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
99.10265 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
99.10265 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

Chemical Name	European Union
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	Carc. 1B
PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT	Carc. 1B

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Central Vascular System (CVS), Eyes, Respiratory system, Skin.

Aspiration hazard: No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
CALCIUM OXIDE	-	1070: 96 h Cyprinus carpio mg/L LC50 static	-

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

Waste codes / waste designations according to EWC / AVV No data available

Other Information Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG

14.1 UN/ID no Not regulated

14.2 Proper shipping name: Not regulated

14.3 Hazard Class	Not regulated
14.4 Packing Group	None
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	No information available
14.7 EmS-No	Not applicable

RID

14.1 UN/ID no	Not regulated
14.2 Proper shipping name:	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	None
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	No information available
14.7 Classification code	No information available

ADR

14.1 UN/ID no	Not regulated
14.2 Proper shipping name:	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	None
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	No information available
14.7 Classification code	No information available

IATA

14.1 UN/ID no	Not regulated
14.2 Proper shipping name:	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	None
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	No information available
14.7 ERG Code	Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	French RG number	Title
ALUMINIUM POWDER 7429-90-5	RG 32 RG 16, RG 16bis	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical Name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC - 64742-52-5	Use restricted. See item 28.	
PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED LIGHT - 64742-71-8	Use restricted. See item 28.	

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of R-phrases referred to under sections 2 and 3**

No information available

Full text of H-Statements referred to under section 3

H350 - May cause cancer if swallowed

H250 - Catches fire spontaneously if exposed to air

H261 - In contact with water releases flammable gases

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Revision Date 27-Oct-2016**Revision Note** Not applicable.**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006****End of Safety Data Sheet**

